



2023

A person wearing a helmet and dark clothing is riding an e-bike on a dirt path through a dense forest. The scene is captured in a high-contrast, black and white style with a yellow tint. Sunlight filters through the trees, creating a dappled light effect on the ground and foliage. The text 'ELEKTROKOLA' and 'E-BIKES' is overlaid in a bold, yellow, sans-serif font across the center of the image.

ELEKTROKOLA E-BIKES

AYRRA



🔋 Panasonic GX Ultimate 36V/250W

⚡ Li-On, 720Wh, 36V/20A

📏 Aluminium 6061; 17.5" | 19.5" | 21.5"

🔧 Manitou Machete, 130mm, air

🔧 Manitou Mara, 190x50mm, air

📏 Rear wheel travel 125mm

🔄 38t, Shimano Deore 11-speed/11-50t/

🔧 Shimano SLX, 203/180mm, hydraulic

🔧 Maxxis Rekon, 29x2.60"











📏 approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ARRRAN







-  Panasonic GX Ultimate 36V/250W
-  Li-On, 720Wh, 36V/20A
-  29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"
-  29" - Manitou Machete, 130mm, air
27,5" - Manitou Machete^{COMP}, 120mm, air
-  Manitou Mara, 190x50mm, air
-  Rear wheel travel 125mm
-  38t, Shimano Deore 10-speed/11-46t/
-  Shimano Deore, 203/180mm, hydraulic
-  Maxxis Rekon, 29x2.60" | 27x2.60"
-  approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AXEEN



-  Panasonic GX Ultimate 36V/250W
-  Li-On, 720Wh, 36V/20A
-  Alluminium 6061; 17.5" | 19.5" | 21.5"
-  UDING UD34 120mm, air
-  DNM, 190x50mm, air
-  Rear wheel travel 125mm
-  38t, Shimano Deore 10-speed/11-46t/
-  Shimano Deore, 180mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 28kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AERON



 Bafang M510 36V/250W

 Li-On, 720Wh, 36V/20A

 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"

 Manitou Markhor, 100mm, air

 DNM, 190x50mm, air

 Rear wheel travel 125mm

 38t, Shimano Deore 10-speed/11-46t/

 RIDEREVER, 203/180mm, hydraulic

 Maxxis Rekon, 29x2.6" | 27,5x2.6"

 approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ORTON



 Panasonic GX Ultimate 36V/250W

 Li-On, 720Wh, 36V/20A

 Aluminium 6061; 17.5" | 19.5" | 21.5"

 Manitou Markhor, 100mm, air

 38t, Shimano Deore 11-speed/11-50t/

 Shimano Deore, 180mm, hydraulic

 Maxxis Rekon, 29x2.25"

 approx. 24kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*

ORDEREM



🔋 Panasonic GX Ultimate 36V/250W

⚡ Li-On, 720Wh, 36V/20A

📏 Aluminium 6061; 17.5" | 19.5" | 21.5"

🏹 RST AERIAL, 100mm

🔄 38t, Shimano Deore 10-speed/11-46t/

🛞 RIDEREVER, 180/160mm, hydraulic

🌀 Maxxis Rekon, 29x2.25"









📖 approx. 23kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

OXINAR



-  Panasonic GX Ultimate 36V/250W
-  Li-On, 720Wh, 36V/20A
-  29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"
-  29" - RST AERIAL, 100mm, air
27,5" - UDING D3-HL, 100mm
-  38t, Shimano Alivio 9-speed/11-36t/
-  Shimano, 180/160mm, hydraulic
-  Maxxis Rekon, 29x2.25" | 27,5x2.25"
-  approx. 23kg




*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ALLTAR



 Bafang M510 36V/250W

 Li-On, 720Wh, 36V/20A

 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"

 RST AERIAL, 100mm

 38t, Shimano Alivio 9-speed/11-36t/

 RIDEREVER, 180/160mm, hydraulic

 Maxxis Rekon, 29x2.25" | 27,5x2.25"

 approx. 23kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AWALONGENT



 Bafang M420 36V/250W

 Li-On, 720Wh, 36V/20A

 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"

 UDING UD32, 100mm, air

 38t, Shimano Altus 9-speed/11-36t/

 Zoom, 180/160mm, hydraulic

 Maxxis Rekon, 29x2.25" | 27,5x2.25"

 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AWALON LADY



 Bafang M420 36V/250W

 Li-On, 720Wh, 36V/20A

 Aluminium 6061; 16.5" | 18" | 20"

 UDING UD32, 100mm, air

 38t, Shimano Altus 9-speed/11-36t/

 Zoom, 180/160mm, hydraulic

 Maxxis Rekon, 29x2.25"

 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SWAN GENT



 Bafang Modest 36V/350W

 Li-On, 540Wh, 36V/15Ah

 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"

 Uding D3-HL, 100mm

 38t, S-Ride 9-speed/11-40t/

 Zoom, 180/160mm, hydraulic

 CST AllTerrains, 29x2.35" | 27,5x2.35"

 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SWAN LADY



 Bafang Modest 36V/250W

 Li-On, 540Wh, 36V/15Ah

 Aluminium 6061; 16.5" | 18" | 20"

 Uding D3, 100mm

 38t, S-Ride 9-speed/11-40t/

 Zoom, 180/160mm, hydraulic

 CST AllTerains, 29x2.35"

 approx. 20kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*

BRASSA



 Panasonic GX Ultimate 36V/250W

 Li-On, 720Wh, 36V/20A

 Aluminium 6061; 18" | 20"

 RST Guide, 95mm

 38t, Shimano Deore 11-speed/11-50t/

 Zoom, 160mm, hydraulic

 CST BFT, 26x4.0"

 approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

BRAGA



 Bafang M510, 36V/250W

 Li-On, 720Wh, 36V/20A

 Aluminium 6061; 18" | 20"

 BRAGA, Aluminium 6061

 38t, Shimano Alivio 9-speed/11-36t/

 Zoom, 180/160mm, hydraulic

 CST BFT, 26x4.0"

 approx. 25kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

BEND GENT



🔋 Bafang M510 36V/350W

⚡ Li-On, 720Wh, 36V/20A

📏 Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"

🏹 Vaxa 860S, 100mm

🔄 38t, S-Ride 9-speed/11-46t/

🌀 Shimano, 180/160mm, hydraulic

🛞 CST TrailFiend, 29x2,1"

📊 KG approx. 27,5kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*

BEND LADY



 Bafang M510 36V/350W

 Li-On, 720Wh, 36V/20A

 Aluminium 6061; 16,5" | 18" | 20"

 Vaxa 860S, 100mm

 38t, S-Ride 9-speed/11-46t/

 Shimano, 180/160mm, hydraulic

 CST TrailFiend, 29x2,1"

 approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

LUOAS GENT



 Bafang M420 36V/250W

 Li-On, 720Wh, 36V/20A

 Alluminium 6061; 17,5" | 19" | 20.5" | 22.5"

 Zoom 188D, 65mm

 38t, S-Ride 9-speed/11-46t/

 Zoom, 160mm, hydraulic

 CST ProBrooklyn, 29x2.0"

 approx. 23kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

LUCCA S LADY



🔋 Bafang M420 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🚲 Aluminium 6061; 16.5" | 18" | 20"

👤 Zoom 188D, 65mm

⚙️ 38t, S-Ride 9-speed/11-46t/

🌀 Zoom, 160mm, hydraulic

🛞 CST ProBrooklyn, 29x2.0"

📏 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

N E B A



 Bafang M420 36V/350W

 Li-On, 540Wh, 36V/15Ah

 Aluminium 6061; 16,5" | 18" | 20"

 Zoom CH-109D, 25mm

 38t, Shimano NEXUS 8-speed/18t/

 Shimano, 160mm, hydraulic

 CST ClassicAllRound, 28x1.75"

 approx. 19kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*

VIVALO



 Bafang M420 36V/350W

 Li-On, 540Wh, 36V/15A

 Aluminium 6061; 16,5" | 18" | 20"

 Zoom 188D, 65mm

 38t, S-Ride 9-speed/11-46t/

 Zoom, 160mm, hydraulic

 CST ClassicAllround, 28x1.75"

 approx. 22kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*

SAGA



 Bafang Modest 36V/350W

 Li-On, 540Wh, 36V/15Ah

 Aluminium 6061; 16,5" | 18" | 20"

 Zoom 188D, 65mm

 38t, Shimano Altus 8-speed/11-34t/

 Zoom, 160mm, hydraulic

 CST ClassicAllRound, 28x1.75"

 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

INDUKTORA



 Bafang RM G020 36V/250W

 Li-On, 540Wh, 36V/15Ah

 Aluminium 6061; 16,5" | 18" | 20"

 EXE Race, travel 45mm

 38t, Shimano 7-speed/14-28t/

 Zoom, 160mm, mechanical

 CST ControlPrima, 28" 700x40c

 approx. 20kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

LOTUS



 Bafang RM G020 36V/250W

 Li-On, 540Wh, 36V/15Ah

 Aluminium 6061; 16,5" | 18" | 20"

 Zoom 187D, 60mm

 38t, Shimano 7-speed/14-28t/

 Zoom, 160mm, mechanic

 CST SensamoControl, 26x1.75"

 approx. 21kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

HARLAN



 Bafang Modest 36V/250W

 Li-On, 504Wh, 36V/14A

 Aluminium 6061

 Zoom 106D, 25mm

 32t, S-Ride 8-speed/11-34t/

 Zoom, 140mm, hydraulic

 CST Vault, 20x2.2"

 approx. 21kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*

JÍZDNÍ KOLA BICYCLES



HARPER



-  Aluminium 6061; 17,5" | 19.5" | 21.5"
-  Manitou Machete, 120mm, air
-  DNM, 190x50mm, air
-  Rear wheel travel 115mm
-  32t, Shimano Deore 11-speed/11-50t/
-  Shimano Deore, 203/180mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 16kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TRION



-  Aluminium 6061; 17.5" | 19.5" | 21.5"
-  UDING UD34, 120mm, air
-  DNM, 190x50mm, air
-  Rear wheel travel 115mm
-  32t, Shimano Deore 10-speed/11-46t/
-  Shimano, 180/160mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 15kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

EMPORIA



-  Aluminium 6061; 18" | 20" | 22"
-  Manitou Machete, 120mm, air
-  32t, Shimano Deore 11-speed/11-50t/
-  Shimano Deore, 180mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 15kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TRAP



-  Aluminium 6061; 18" | 20" | 22"
-  Uding UD34, 120mm, air
-  32t, Shimano Deore 10-speed/11-46t/
-  RIDEREVER, 180/160mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 15kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SONORA



📏 29" - Al. 6061; 16" | 18" | 20" | 22"
27,5" - Al. 6061; 16" | 18" | 20"

🏠 UDING D3-HL, 100mm

⚙️ 38t, Shimano Altus 8-speed/11-36t/

🌀 Zoom, 160mm, hydraulic

🌀 CST AllTerrains, 29x2.35" | 27,5x2.35"

🏋️ approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ZERO



 29" - Al. 6061; 16" | 18" | 20" | 22"
27,5" - Al. 6061; 16" | 18" | 20"

 UDING D3-HL, 100mm

 38t, S-Ride 9-speed/11-40t/

 Zoom, 160mm, hydraulic

 CST AllTerains, 29x2.35" | 27,5x2.35"

 approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ESSENT



 29" - Al. 6061; 16" | 18" | 20" | 22"
27,5" - Al. 6061; 16" | 18" | 20"

 UDING D3-HL, 100mm

 38t, Shimano Altus 8-speed/11-36t/

 Zoom, 160mm, mechanic

 CST AllTerains, 29x2.35" | 27,5x2.35"

 approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

FACTOR



 Aluminium 6061; 14" | 16" | 18" | 20"

 Zoom 565D, 80mm

 36t, S-Ride 8-speed/11-34t/

 Zoom, 160mm, mechanical

 Innova, 26x2.10"

 approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

MXC GENT



 Aluminium 6061; 14" | 16" | 18" | 20"

 Zoom 565V, 80mm

 36t, S-Ride 8-speed/11-34t/

 V-Brakes

 Innova, 26x2.10"

 approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

MXC LADY



 Aluminium 6061; 14" | 16" | 18" | 20"

 Zoom 565V, 80mm

 36t, S-Ride 8-speed/11-34t/

 V-Brakes

 Innova, 26x2.10"

 approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ŠUMAVA GENT



-  Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"
-  Zoom 187D, 60mm
-  22, 32, 44t, Shimano Alivio 9-speed/11-36t/
-  Zoom, 160mm, hydraulic
-  CST ClassicAllround, 28x1.75"
-  approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ŠUMAVA LADY



-  Aluminium 6061; 16,5" | 18" | 20"
-  Zoom 187D, 60mm
-  22, 32, 44t, Shimano Alivio 9-speed/11-36t/
-  Zoom, 160mm, hydraulic
-  CST ClassicAllround, 28x1.75"
-  approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TOSCANA GENT



-  Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"
-  Zoom 141D, 45mm
-  22, 32, 44t, Shimano Altus 9-speed/11-36t/
-  Zoom, 160mm, mechanical
-  CST ClassicAllround, 28x1.75"
-  approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TOSCANA LADY



-  Aluminium 6061; 16,5" | 18" | 20"
-  Zoom 141D, 45mm
-  22, 32, 44t, Shimano Altus 9-speed/11-36t/
-  Zoom, 160mm, mechanical
-  CST ClassicAllround, 28x1.75"
-  **KG** approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AWWAY GENT



-  Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"
-  EXE RACE, 45mm
-  28, 38, 48t, Shimano 3x7-speed/11-34t/
-  V-Brake
-  CST ControlPrima, 700x40C
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AWAY LADY



-  Aluminium 6061; 16,5" | 18" | 20"
-  EXE RACE, 45mm
-  28, 38, 48t, Shimano 3x7-speed/11-34t/
-  V-Brake
-  CST ControlPrima, 700x40C
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

FERRARA GENT



 Aluminium 6061; 17,5" | 19" | 20.5"

 EXE Race 45mm

 38t, S-Ride 8-speed/11-34t/

 V-brakes

 CST ControlPrima, 28" 700x40c

 approx. 10kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*


FERRARA LADY



 Aluminium 6061; 16,5" | 18,, | 20"

 EXE Race 45mm

 38t, S-Ride 8-speed/11-34t/

 V-brakes

 CST ControlPrima, 28" 700x40c

 approx. 9kg



**MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.*

REGION



-  Aluminium 6061; 17" | 19"
-  EXE Race, 45mm
-  38t, Shimano 7-speed/14-28t/
-  V-brakes
-  CST ControlPrima, 28" 700x40c
-  approx. 10kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

DOMESTA



-  Aluminium 6061; 17" | 19"
-  Aluminium 6061
-  38t, Shimano 7-speed/14-28t/
-  V-Brake
-  CST SensamoControl, 26x1.75"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

EMA



-  Aluminium 6061; 17" | 19"
-  Aluminium 6061
-  38t, Shimano Tourney 7-speed/14-28t/
-  V-Brakes
-  CST SensamoControl, 26x1,75"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

CAPITAN BOY 24"



-  Aluminium 6061
-  Zoom 565D, 50mm
-  36t, S-Ride 8-speed/11-34t/
-  Zoom, 160/140mm, mechanical
-  CST, 24x1.95"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SPIDER BOY 24"



-  Aluminium 6061
-  Zoom 565V, 50mm
-  36t, S-Ride 8-speed/11-34t/
-  V-Brakes
-  CST, 24x1.95"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SPIDER GIRL 24"



-  Aluminium 6061
-  Zoom 565V, 50mm
-  36t, S-Ride 8-speed/11-34t/
-  V-Brakes
-  CST, 24x1.95"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.



@KOLA_LEADER_FOX
WWW.LEADERFOX.CZ
WWW.LEADERFOX.COM